

Message

From: Nonresponsive based on revised scope
Sent: 12/19/2018 3:36:53 PM
To: McCauley, Joanna [McCauley.Joanna@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]
CC: Nonresponsive based on revised scope
Subject: FW: 3-S467 Shiloh Church Road Site 1900-55 11/7, 11/8, 11/9 and 11/12 for review and signature
Attachments: ATT00001.txt; 3-S467 Shiloh Church Road Site 1900-55 dated 11_12_18.pdf; 3-S467 Shiloh Church Road Site 1900-55 dated 11_9_18.pdf; 3-S467 Shiloh Church Road Site 1900-55 dated 11_8_18.pdf; 3-S467 Shiloh Church Road Site 1900-55 dated 11_7_18.pdf

Hello Joanna, please see the attached

Thank you

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope
Sent: Tuesday, December 4, 2018 3:51 PM
To: 'McCauley, Joanna' <McCauley.Joanna@epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Nonresponsive based on revised scope
Subject: 3-S467 Shiloh Church Road Site 1900-55 for signature


Hello Joanna and Chris, please see the attached.

Joanna, I made adjustments from your previous question. Sign in sheet had the wrong date confirmed that for me.

We appreciate it

Thank you

Nonresponsive based on revised scope



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.